PTO/SB/08b (06-03)

Approved for use through 06/30/2003. OMB 0651-0031 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

er the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

TRAS Substitute for form 1449B/PTO Complete if Known Application Number 10/076,708 INFORMATION DISCLOSURE Filing Date February 15, 2002 First Named Inventor STATEMENT BY APPLICANT Satish K. Sharma Art Unit 1646 (Use as many sheets as necessary) Examiner Name Chernyshev, Olga N Sheet Attorney Docket Number 6322.N 1

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
	1	GOETZ, J ET AL: "Formation of neurofibrillary tangles in P301L tau transgenic mice induced by Abeta42 fibrilis" Science, American Association for the Advancement of Science, US, vol. 293, no. 5534, pages 1491-1495, 2001.	
	2	GOURAS GUNNAR K ET AL: "Intraneuronal Abeta 42 accumulation in human brain" American Journal of Pathology, vol. 156, no. 1, pages 15-20, January 2000.	
	3	HARDY JOHN ET AL: "Genetic dissection of Alzheimer's disease and related demetias: Amyloid and its relationship to tau" Nature Neuroscience, vol. 1, no. 5, pages 355-358, 1998.	
42.4.0.0.00	4	LEWIS J ET AL: "Enhanced neurofibrillary degeneration in transgenic mice expressin mutant tau and APP" Science, American Association for the Advancement of Science, vol. 293, no. 5534, pages 1487-1491, 2001.	
***************************************	5	RANK KB ET AL: "Direct interaction of soluble human recombinant tau protein with Abeta 1-42 results in tau aggregation and hperphosphorylation by tau protein kinase II" Febs Letters, Elsevier Science Publishers, Amsterdam, NL, vol. 514, no. 2-3, pages 263-268, 2002.	
	6	TAKASHIMA A ET AL: "Amyloid beta peptide (25-35) induces tau phosphorylation and decrease microtubule-forming ability in rat hippocampal culture" Abstracts of the Society for Neuroscience, WA, DC US, vo. 21, no. 1-3, page 1719, 1995.	
	7	TOMIDOKORO YASUSHI ET AL: "Abeta amyloidosis induces the initial stage of tau accumulation in APPSW mice" Neuroscience Letters, vol. 299, no. 3, pages 169-172, 2001.	
10,000.000.000.000.000.000.000			
	•		

Examiner	Date	
Signature	 Considered	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

f. Info disi

LIST OFFREFERENCES CITED BY APPLICANT				Atty. Docket No. 6322.N			Serial No. 10/076,708				
(wa	MAY 1 2 2004 (#)			Applicant	Applicant SK Sharma, KB Rank						
The state of the s			Filing Date	Filing Date 02/15/2002			Group 1641				
×	TRAN		U	S. PATENT DOCUM	IENTS		<u> </u>	··			
Examiner Initial	ļ	Document Number	Date	Name		Class	Subclass	Filing If App	Date Propriate		
	AA										
	AB										
	AC	 									
	AD	 									
	AE	<u> </u>					•	٠.			
	AF										
	AG	 									
	AH	 		- 							
	AI										
		Document	FORE Date	IGN PATENT DOCU	JMENTS						
		Number	Date	Country		Class	Subclass	Translation			
	AJ							Yes	No		
	AK								-		
	AL										
	AM								+		
	AN	<u></u>							-		
		<u> </u>	OTHER PRIOR ART	Γ (Including Author, Title, l	Date, Pertinent Pa	ges, Etc.)					
	AO	Bancher, C. et al., "Accumulation of abnormally phosphorylated τ precedes the formation of neurofibrillary tangles in Alzheimer's disease," Brain Research 477(1-2):90-99 [1989];									
	AP	Bondareff, W. et al., "Molecular analysis of neurofibrillary degeneration in Alzheimer's Disease," American J. of Pathology 137(3):711-23 [1990];									
	AQ	Caceres, A. et al., "Inhibition of neurite polarity by tau antisense oligonucleotides in primary cerebellar neurons," Nature 343(6257):461-63 [1990];									
	AR	Drubin, D.G. et	al., "Tau protein fund	ction in living cells," J	. Cell Biology 1	03(6 PT	2):2739 <i>-46</i> [19861-			
	AS	Drubin, D.G. et al., "Tau protein function in living cells," J. Cell Biology 103(6 PT 2):2739-46 [1986]; Evans, D.B. et al., "Tau phosphorylation at Serine 396 and Serine 404 by human recombinant Tau protein kinase II inhibits Tau's ability to promote microtubule assembly," J. Biological Chemistry 275(32):24977-983 [2000];									
	АТ	Glenner, G.G. et cerebrovascular	al., "Alzheimer's Dis amyloid protein," Bio	ease: Initial report of schemical and Biophys	the purification	n and cha Commun	racterizations 120	n of a no)(3):885-9	vel 90		

<u> </u>							
			Atty	Docket No.	Serial No.		
V VOID			6322.N		10/076,708		
	· (RENCES CITED BY APPLICANT (Use several sheets if necessary)					
(w	MAN 1 2 2004 H			Applicant SK Sharma, KB Rank			
ا م\ ا				02/15/2002	Group		
~~	TRA	[1984];	<u> </u>				
	AV	Goedert, M. et al., "Cloning and sequencing of the cDNA encoding a core protein of the paired helical filament of Alzheimer disease: Identification as the microtubule-associated protein tau," PNAS 85:4051-55 [1988];					
	AW	Goedert, M. et al., "Multiple isoforms of human microtubule-associated protein tau: Sequences and localization in neurofibrillary tangles of Alzheimer's Disease," Neuron 3(4):519-26 [1989];					
	AX	Goedert, M. et al., "Expression of separate isoforms of human tau protein: correlation with the tau pattern in brain and effects on tubulin polymerization," The EMBO Journal 9(13): 4225-30 [1990];					
	AY	Goedert, Michael, "Tau protein and the neurofibrillary pathology of Alzheimer's Disease," Trends in Neuroscience 16(11):460-65 [1993];					
•	AZ	Greenberg, S.G., et al., "A preparation of Alzheimer paired helical filaments that displays distinct τ proteins by polyacrylamide gel electrophoresis," PNAS 87(15):5827-31 [1990];					
	ВО	Himmler, Adolf, "Structure of the bovine tau gene: Alternatively spliced transcripts generate a protein family," Molecular and Cellular Biology 9(4):1389-96 [1989];					
	BP	Horio, T. et al., "Visualization of the dynamic instability of individual microtubules by dark-field microscopy," Nature 321(6070):605-7 [1986];					
	BQ	Kosik, K.S., "Tau protein and Alzheimer's disease," Current Opinion in Cell Biology 2(1):101-4 [1990];					
	BR	Kosik, K.S., "Alzheimer plaques and tangles: advances on both fronts," TINS 14(6):218-19 [1991];					
	BS	Kosik, K.S. et al., "Microtubule-associated protein tau (τ) is a major antigenic component of paired helical filaments in Alzheimer disease," PNAS 83(11):4044-48 [1986];					
	BT	Ksiezak-Reding et al., "Structural stability of paired helical filaments requires microtubule-binding domains of tau: A model for self-association," Neuron 6(5):717-28 [1991];					
	BU	Lee, G. et al., "The primary structure and heterogeneity of tau protein from mouse brain," Science 239(4837):285-88 [1988];					
·	BV	Lee, V.MY., et al., "A68: A major subunit of paired helical filaments and derivatized forms of normal tau," Science 251(4994):675-78 [1991];					
	BW	Lee, V.MY., et al., "The disordered neuronal cytoskeleton in Alzheimer's disease," Current Opinion in Neurobiology 2(5):653-56 [1992];					
	BX	Mailliot, C. et al., "Phosphorylation of specific sets of tau isoforms reflects different neurofibrillary degeneration processes," FEBS Letters 433(3):201-04 [1998];					
	BY	Spillantini, M.G. et al., "Tau protein pathology in neurodegenerative diseases," Trends in Neuroscience 21(10):428-33 [1998];					
	BZ	Weingarten, M.D. et al., "A protein factor essential for microtubule assembly," PNAS 72(5):1858-62 [1975].			AS 72(5):1858-62 [1975]		
	со						
	СР						
Examiner			Date Considered				
					i i		